# **Index of Section 1 Tables: Illicit Drug Use (1.1 to 1.92)**

Illicit Drug Use Tables	Table Number	Standard Errors
Lifetime, past year, and past month illicit drug use, by selected age categories and gender	1.1 to 1.10	SE
Selected illicit drugs, by detailed age categories	1.11 to 1.18	SE
Selected illicit drugs, by demographic characteristics	1.19 to 1.58	
Illicit drugs	1.19 to 1.23	SE
Marijuana	1.24 to 1.28	SE
Cocaine	1.29 to 1.33	SE
Crack	1.34 to 1.38	SE
Hallucinogens	1.39 to 1.43	SE
Inhalants	1.44 to 1.48	SE
Nonmedical use of prescription-type psychotherapeutics	1.49 to 1.53	SE
Nonmedical use of pain relievers	1.54 to 1.58	SE
Selected illicit drugs, by geographic characteristics	1.59 to 1.87	
Illicit drugs	1.59 to 1.63	SE
Marijuana	1.64 to 1.68	SE
Cocaine	1.69 to 1.73	SE
Crack	1.74	SE
Hallucinogens	1.75	SE
Inhalants	1.76 to 1.77	SE
Nonmedical use of prescription-type psychotherapeutics	1.78 to 1.82	SE
Nonmedical use of pain relievers	1.83 to 1.87	SE
Specific hallucinogen, inhalant, needle, heroin, pain reliever, tranquilizer, stimulant, and sedative use, by selected age categories	1.88 to 1.92	SE

## **Index of Section 2 Tables: Tobacco Product and Alcohol Use (2.1 to 2.84)**

<b>Tobacco Product and Alcohol Use Tables</b>	Table Number	Standard Errors
Lifetime, past year, and past month tobacco product and alcohol use, by selected age categories and gender	2.1 to 2.10	SE
Selected tobacco product and alcohol use, by detailed age categories	2.11 to 2.16	SE
Selected tobacco product and alcohol use, by demographic characteristics	2.17 to 2.46	
Tobacco products	2.17 to 2.21	SE
Cigarettes	2.22 to 2.26	SE
Smokeless tobacco	2.27 to 2.31	SE
Cigars	2.32 to 2.36	SE
Alcohol	2.37 to 2.46	SE
Selected tobacco product and alcohol use, by geographic characteristics	2.47 to 2.76	
Tobacco products	2.47 to 2.51	SE
Cigarettes	2.52 to 2.56	SE
Smokeless tobacco	2.57 to 2.61	SE
Cigars	2.62 to 2.66	SE
Alcohol	2.67 to 2.76	SE
Underage and legal drinkers' alcohol use, by demographic or geographic characteristics	2.77 to 2.84	SE

## **Index of Section 3 Tables: Risk and Protective Factors (3.1 to 3.25)**

Risk and Protective Factor Tables	Table Number	Standard Errors
Perceived risk and availability of substances	3.1 to 3.5	
Perceived risk and availability, by selected age categories	3.1	SE
Perceived risk, by demographic and geographic characteristics	3.2 to 3.4	SE
Perceived availability, by demographic and geographic characteristics	3.5	SE
Risk and protective factors, by demographic and geographic characteristics	3.6 to 3.18	
Disapproval of substance use behavior	3.6 to 3.8	SE
Prevention programs/messages	3.9 to 3.10	SE
Delinquent behavior	3.11 to 3.12	SE
Selected youth behavior	3.13	SE
Religious beliefs	3.14	SE
Parental involvement in specific behaviors	3.15	SE
Student characteristics	3.16	SE
Adult involvement in specific school-related behaviors	3.17	SE
Substance use of students in grade level	3.18	SE
Past month substance use, by risk and protective factors	3.19 to 3.25	
Perceived risk and availability of substances	3.19 to 3.20	SE
Disapproval of substance use behavior	3.21 to 3.22	SE
Prevention programs/messages and delinquent behavior	3.23	SE
Selected youth behavior, religious beliefs, and parental involvement in specific behaviors	3.24	SE
Student characteristics, adult involvement in specific school-related behaviors, and substance use of students in grade level	3.25	SE

## **Index of Section 4 Tables: Incidence (4.1 to 4.16)**

Incidence Tables	Table Number	Standard Errors
Past year initiate tables	4.1 to 4.16	
Selected substances, by selected age categories and gender	4.1 to 4.4	SE
Initiation, by selected age categories	4.5 to 4.8	SE
Initiation, by gender	4.9	SE
Initiation, by age at first substance use and gender	4.10 to 4.11	SE
Initiation among persons aged 12 to 49, by gender	4.12	SE
Mean age at first substance use, by gender	4.13	SE
Mean age at first substance use, by age at first substance use and gender	4.14 to 4.15	SE
Mean age at first substance use among persons aged 12 to 49, by gender	4.16	SE

## **Index of Section 5 Tables: Dependence, Abuse, and Treatment (5.1 to 5.56)**

Dependence, Abuse, and Treatment Tables	Table Number	Standard Errors
Substance dependence or abuse	5.1 to 5.13	SE
Substance dependence	5.14	SE
Received substance use treatment	5.15 to 5.26	
Treatment, by demographic or geographic characteristics	5.15 to 5.21	SE
Specific substance for last or current treatment	5.22	SE
Location of treatment	5.23 to 5.25	SE
Treatment, by dependence and/or abuse	5.26	SE
Received substance use treatment at specialty facility	5.27 to 5.42	
Treatment, by demographic or geographic characteristics	5.27 to 5.33	SE
Specific substance for last or current treatment	5.34	SE
Source of payment for last or current treatment	5.35 to 5.37	SE
Location of treatment	5.38 to 5.40	SE
Treatment, by dependence and/or abuse	5.41 to 5.42	SE
Needed and received treatment or perceived need for treatment	5.43 to 5.53	
Illicit drug	5.43 to 5.47	SE
Alcohol	5.48 to 5.50	SE
Illicit drug or alcohol	5.51 to 5.53	SE
Reasons for not receiving substance use treatment	5.54 to 5.56	SE

## **Index of Section 6 Tables: Mental Health (6.1 to 6.50)**

Mental Health Tables	Table Number	Standard Errors
Serious psychological distress (SPD)	6.1 to 6.4	
SPD, by demographic characteristics	6.1 to 6.2	SE
Substance use	6.3 to 6.4	SE
Serious mental illness (SMI)	6.5 to 6.19	
SMI, by demographic or geographic characteristics	6.5 to 6.7	SE
Substance use	6.8 to 6.9	SE
Substance dependence or abuse	6.10 to 6.13	SE
Received mental health treatment/counseling, by SMI and demographic or geographic characteristics	6.14 to 6.15	SE
Types of mental health treatment/counseling, by demographic characteristics	6.16 to 6.17	SE
Location of outpatient mental health treatment/counseling, by selected age categories	6.18	SE
Mental health and/or substance use treatment at a specialty facility	6.19	SE
Adult mental health treatment/counseling	6.20 to 6.28	
Types of treatment, by demographic, geographic, or socioeconomic characteristics	6.20 to 6.22	SE
Substance dependence or abuse, by receipt of treatment	6.23	SE
Location of outpatient treatment, by selected age categories	6.24	SE
Source of payment for outpatient treatment, by selected age categories	6.25	SE
Unmet need for treatment, by receipt of treatment and demographic, geographic, or socioeconomic characteristics	6.26 to 6.27	SE
Reasons for not receiving treatment, by receipt of treatment	6.28	SE
Suicide, by demographic characteristics	6.29 to 6.30	SE
Youth mental health services	6.31 to 6.35	
Source of mental health services, by demographic, geographic, or socioeconomic characteristics	6.31 to 6.33	SE
Reasons for receiving most recent mental health services	6.34	SE
Number of visits or overnight stays	6.35	SE
Major depressive episode (MDE)	6.36 to 6.50	
MDE and receipt of treatment for depression, by demographic, geographic, socioeconomic, or health characteristics	6.36 to 6.42	SE
Substance use	6.43 to 6.44	SE
Substance dependence or abuse	6.45 to 6.46	SE
Type of professional seen	6.47 to 6.48	SE
Type of treatment received for depression, by demographic or socioeconomic characteristics	6.49 to 6.50	SE

## **Index of Section 7 Tables: Miscellaneous (7.1 to 7.118)**

Miscellaneous Tables	Table Number	Standard Errors
Frequency of use	7.1 to 7.6	SE
Illicit drugs, by cigarette use	7.7 to 7.10	SE
Illicit drugs, by alcohol use	7.11 to 7.18	SE
Illicit drugs, by cigarette and alcohol use	7.19 to 7.23	SE
Tobacco product and alcohol, by cigarette use	7.24 to 7.27	SE
Tobacco product, by alcohol use	7.28 to 7.31	SE
Prior year and past year marijuana use status	7.32	SE
Nicotine (cigarette) dependence	7.33 to 7.37	SE
Substance dependence or abuse, by age of first use and demographic characteristics	7.38 to 7.40	SE
Substance dependence, by age of first use and		
demographic characteristics	7.41 to 7.43	SE
Obtaining marijuana	7.44 to 7.46	SE
Source for most recent nonmedical drug use (pain relievers, tranquilizers, stimulants, methamphetamine, and sedatives)	7.47 to 7.66	SE
Social context, location, and source of underage drinking	7.67 to 7.70	SE
Pregnancy	7.71 to 7.78	SE
College enrollment	7.79 to 7.95	SE
Driving under the influence	7.96 to 7.99	SE
Probation	7.100 to 7.104	SE
Parole/supervised release	7.105 to 7.109	SE
Healthy People 2010	7.110 to 7.118	SE

**Index of Section 8 Tables: Trend (8.1 to 8.43)** 

Trend Tables	Table Number	Standard Errors
Substance use	8.1 to 8.27	
Lifetime, past year, and past month illicit drug use, by selected age categories and gender	8.1 to 8.21	SE
Past month tobacco product and alcohol use, by selected age categories and gender	8.22 to 8.26	SE
Lifetime, past year, and past month alcohol use, by underage drinkers and gender	8.27	SE
Perceived risk and availability of substances	8.28	SE
Past year initiation of substance use	8.29 to 8.31	SE
Substance dependence or abuse	8.32 to 8.33	
Dependence or abuse	8.32	SE
Dependence	8.33	SE
Substance treatment	8.34 to 8.35	
Received treatment at any location or at a specialty facility	8.34	SE
Needed treatment, by substance abuse treatment status at a specialty facility	8.35	SE
Mental health	8.36 to 8.38	
Adult mental health treatment/counseling	8.36	SE
2004-2008 youth major depressive episode (MDE)	8.37	SE
Source of youth mental health services	8.38	SE
1971-2008 past month marijuana and past year cocaine use	8.39 to 8.40	SE
Healthy People 2010	8.41 to 8.43	SE

NOTE: Estimates for 2002-2008 are presented in these tables unless otherwise noted above.

#### **Index of Section 9 Tables: Sample Size and Population Estimates (9.1 to 9.14)**

Sample Size and Population Tables	Table Number	Standard Errors
Demographic characteristics	9.1 to 9.5	SE
Geographic characteristics	9.6 to 9.9	SE
Pregnancy	9.10	SE
College enrollment	9.11	SE
Probation	9.12	SE
Parole/supervised release	9.13	SE
Mental health sample <sup>1</sup>	9.14	SE

<sup>&</sup>lt;sup>1</sup> In 2008, a split-sample design assigned adults aged 18 or older to one of two impairment scales. Adults in sample A were administered World Health Organization Disability Assessment Schedule (WHODAS) questions, and those in sample B were administered Sheehan Disability Scale (SDS) questions. Analysis weights for each sample were poststratified separately to U.S. census population estimates of the civilian, noninstitutionalized population aged 18 or older for various demographic domains. Estimated population totals for samples A and B may differ slightly for demographic domains that were not controlled or were controlled differently in the poststratification. Ten adults who broke off their interviews prior to their split-sample assignment are excluded from this table. For details, see Section B.4 of Appendix B in the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.